

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/563,385	01/05/2006	Jun Li	PU030023	3002
24498 7590 01/04/2007 THOMSON LICENSING INC.			EXAMINER	
PATENT OPE	RATIONS		BRANDT, CHRISTOPHER M	
PO BOX 5312 PRINCETON, NJ 08543-5312			ART UNIT	PAPER NUMBER
	,		2617	
	· · · · · · · · · · · · · · · · · · ·			
SHORTENED STATUTOR	RY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE	
3 MC	ONTHS	01/04/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	Application No.	Applicant(s)				
	10/563,385	LI ET AL.				
Office Action Summary	Examiner	Art Unit				
	Christopher M. Brandt	2617				
The MAILING DATE of this communication appreciation appropriate for Reply	The MAILING DATE of this communication appears on the cover sheet with the correspondence address					
A SHORTENED STATUTORY PERIOD FOR REPL' WHICHEVER IS LONGER, FROM THE MAILING D. Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period of Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be timwill apply and will expire SIX (6) MONTHS from a cause the application to become AB ANDONE	I. lety filed the mailing date of this communication. (35 U.S.C. § 133).				
Status	•					
1)⊠ Responsive to communication(s) filed on 30 C 2a)⊠ This action is FINAL. 2b)□ This 3)□ Since this application is in condition for allowarclosed in accordance with the practice under E	action is non-final. nce except for formal matters, pro					
Disposition of Claims						
4) ☐ Claim(s) 1-12 is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-12 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	wn from consideration.					
Application Papers						
9) ☐ The specification is objected to by the Examine 10) ☑ The drawing(s) filed on <u>05 January 2006</u> is/are Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) ☐ The oath or declaration is objected to by the Examine 11.	: a)⊠ accepted or b)□ objected drawing(s) be held in abeyance. See tion is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119	•					
12) ⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ⊠ All b) □ Some * c) □ None of: 1. □ Certified copies of the priority documents have been received. 2. □ Certified copies of the priority documents have been received in Application No 3. ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08)	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P	nte				
Paper No(s)/Mail Date	6) Other:					

Art Unit: 2617

DETAILED ACTION

Response to Amendment

This action is in response to Applicant's amendment filed on October 30, 2006. Claims

1-12 are still pending in the present application. This action is made FINAL.

Response to Arguments

Applicant's arguments filed October 30, 2006 have been fully considered but they are not persuasive. Hunt et al. (hereinafter Hunt) does discloses a communication link between the macro cell 102 and the pico cells 1006 when the mobile station attempts to access the micro cell (paragraphs 28-30, read as the macro cell BS 104 has direct links to the pico cell base stations 108 included within the umbrella macro cell 102, and routes data to and from whichever is appropriate for current communications in a manner which is transparent to the network. In addition, when there is a data packet to be transmitted to the user (i.e. attempting to access the micro cell), the macro cell 102 routes the data to the identified pico cell 106. Moreover, the macro cell BS 104 may also instruct the chosen pico cell BS 108 to vary transmission parameters (such as data rate, transmission power) to modify the quality of the chosen link).

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-6, 8-11 are rejected under 35 USC 102(b) as being anticipated by Hunt et al. (US PGPUB 2003/0013452 A1).

Art Unit: 2617

Consider claims 1. Hunt clearly show and disclose a method for achieving cellular radio communication system, which comprises a plurality of pico cells 106 (figure 2) and an umbrella macro cell 102 (figure 2). The pico cell 102 is capable of voice telephony and data communications with a Mobile Station 110 (figure 2) using a sub-channel 212 (figure 2). In addition, the pico cells 106 pass data across a sub-channel 214 (figure 2) to a terminal 110 (figure 2) dedicated for higher data rates. Moreover, there is a communication channel between the secondary station and a primary station, which comprises control and data sub-channels for the respective transmission of control information and user data. This communication channel also provides a means for a data sub-channel between the secondary station and controlling primary station for the pico cell. The macro cell BS 104 has direct links (i.e. third wireless channel) to the pico cell base stations 108 included within the umbrella macro cell 102, and routes data to and from whichever is appropriate for current communications in a manner which is transparent to the network. In addition, when there is a data packet to be transmitted to the user (i.e. attempting to access the micro cell), the macro cell 102 routes the data to the identified pico cell 106. Moreover, the macro cell BS 104 may also instruct the chosen pico cell BS 108 to vary transmission parameters (such as data rate, transmission power) to modify the quality of the chosen link (abstract, paragraphs 4-5, 10, 23, 28-30, read as method for achieving wireless communications in a network having at least one macro cell for communicating both voice and data with a mobile communications device across a first wireless link and, at least one micro cell, with a smaller coverage area and higher capacity per user than the macro cell, for communicating data with the mobile communications device across a second wireless communication link, the method comprising the steps of: communicating signaling information between the one micro

Art Unit: 2617

cell and the one macro cell via a third wireless channel in response to access of the micro cell by the mobile communications device; and controlling the operation of the micro cell responsive to the signaling information).

Consider claim 6. Hunt clearly show and disclose a system for achieving cellular radio communication system, which comprises a plurality of pico cells 106 (figure 2) and an umbrella macro cell 102 (figure 2). The pico cell 102 is capable of voice telephony and data communications with a Mobile Station 110 (figure 2) using a sub-channel 212 (figure 2). In addition, the pico cells 106 pass data across a sub-channel 214 (figure 2) to a terminal 110 (figure 2) dedicated for higher data rates. There is a BS 104 (figure 2, read as control element), which controls a macro cell 102. Moreover, there is a communication channel between the secondary station and a primary station, which comprises control and data sub-channels for the respective transmission of control information and user data. This communication channel also provides a means for a data sub-channel between the secondary station and controlling primary station for the pico cell. The macro cell BS 104 has direct links (i.e. third wireless channel) to the pico cell base stations 108 included within the umbrella macro cell 102, and routes data to and from whichever is appropriate for current communications in a manner which is transparent to the network. In addition, when there is a data packet to be transmitted to the user (i.e. attempting to access the micro cell), the macro cell 102 routes the data to the identified pico cell 106. Moreover, the macro cell BS 104 may also instruct the chosen pico cell BS 108 to vary transmission parameters (such as data rate, transmission power) to modify the quality of the chosen link (abstract, paragraphs 4-5, 10, 23, 28-30, read as a wireless communications system, comprising: at least one macro cell for communicating both voice and data with a mobile

Art Unit: 2617

communications device across a first wireless link at least one micro cell having a smaller coverage and higher capacity per user than the macro cell for communicating data with the mobile communications device across a second wireless communication link; a control element for controlling at least the operation of the macro cell; a third wireless channel for communicating signaling information between the one micro cell and the one macro cell in response to access of the micro cell by the mobile communications device to enable the controller to also control the operation of the macro cell).

Consider claim 2 and as applied to claim 1. Hunt teaches the method wherein step of controlling the micro cell includes the step of managing access to the micro cell by the mobile communications device (figure 2, paragraph 25, 29, 30).

Consider claim 3 and as applied to claim 1. Hunt teaches the method wherein the step of communicating signaling information via the third wireless channel includes the step communicating signaling information from each mobile communications device separately (figure 2, paragraphs 23, 28-30).

Consider claim 4 and as applied to claim 1. Hunt teaches the method wherein the step of communicating signaling information via the third wireless channel includes the step of encapsulating signaling information from a plurality of mobile communication devices in a common packet (figure 2, paragraph 23, 28-30).

Consider claim 5 and as applied to claim 1. Hunt teaches the method further comprising the step of assigning to the mobile communication device codes and power settings to enable the mobile communication device to communicate with macro cell and micro cell simultaneously (figure 2, paragraphs 22-23 and 26).

Art Unit: 2617

Consider claim 8 and as applied to claim 6. Hunt teaches the system wherein the control element manages access to the micro cell by the mobile communications device (figure 2, paragraphs 25, 29, 30).

Consider claim 9 and as applied to claim 6. Hunt teaches the system wherein each micro cells separately communicates signaling information from each mobile communication device across the third wireless channel (figure 2, paragraphs 23, 28-30).

Consider claim 10 and as applied to claim 6. Hunt teaches the system wherein the signaling information of each of a plurality of micro cells is encapsulated into a common packet for communication across the third wireless communication channel (figure 2, paragraphs 23, 28-30).

Consider claim 11 and as applied to claim 6. Hunt teaches the system wherein the control element assigns to the mobile communication device codes and power settings to enable the mobile communication device to communicate with macro cell and micro cell simultaneously (figure 2, paragraphs 22-23, 26).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any

Art Unit: 2617

evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claim 7 is rejected under 35 USC 103(a) as being unpatentable over Hunt et al. (US PGPUB 2003/0013452 A1) in view of Westerberg (US Patent 6,058302).

Consider claim 7 and as applied to claim 6. Hunt clearly show and disclose the claimed invention except wherein the control element comprises a Serving General Packet Radio Service Node (SGSN).

However, Westerberg teaches a system where the public (GPRS) network 100 (figure 2) includes a mobile services switching center/serving GPRS support node (MSC/SGSN) 102 (figure 2), which controls calls to and from other telephony and data communications systems (column 4 lines 27-47, read as the system wherein the control element comprises a Serving General Packet Radio Service Node (SGSN)).

Art Unit: 2617

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have incorporated the teachings of Westerberg into the system of Hunt in order to provide stability during high load in large networks.

Claim 12 is rejected under 35 USC 103(a) as being unpatentable over Hunt et al. (US PGPUB 2003/0013452 A1) in view of Westerberg (US Patent 6,058302) and further in view of Horneman et al. (US Patent 6,959,048 A1).

Consider claim 12 and as applied to claim 7. Hunt and Westerberg teach the claimed invention except wherein the control element further comprises: a Gateway General Packet Radio Service Serving Node (GGSN); and an Internet Protocol tunnel for linking the GGSN to an Internet Protocol gateway.

However, Horneman (hereinafter Horneman) clearly show and disclose a gateway node (GGSN = Gateway GPRS Support Node) 144 (figure 1B). This gateway node 144 connects to the packet transmission network 142 (figure 1B) and a public packet transmission network 146 (figure 1B). In addition, an Internet protocol can be used at the interface (column 5 line 62 – column 6 line 5).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have incorporated the teachings of Horneman into the systems of Hunt and Westerberg in order to optimize "bursty" data services such as wireless Internet/intranet and multimedia services.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any response to this Office Action should be faxed to (571) 273-8300 or mailed to:

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Hand-delivered responses should be brought to

Customer Service Window Randolph Building 401 Dulany Street

Alexandria, VA 22314

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher M. Brandt whose telephone number is (571) 270-1098. The examiner can normally be reached on 7:30a.m. to 5p.m..

Art Unit: 2617

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nick Corsaro can be reached on (571) 272-7876. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist/customer service whose telephone number is (571) 272-2600.

Christopher M. Brandt

C.M.B./cmb

December 22, 2006